

20 TIPPER



Tipper back and side view



Tipper back and side view



Tipper side view



SANCAKLI FIRE TRUCKS AND SPECIAL AIMED VEHICLES

*Fire Truck - Ladder Firefighting Truck - MiniPack Compactor
Garbage Compactor Truck - Water Truck - Vacuum Truck
Sewer Jetting Truck - Jet&Vac Combine Truck - Dumper
Telescopic&Articulated Platforms - Hooklift - Skip Loader
Recovery Truck - Food/Theater/Workshop Truck - Mobile Cafe*

Aşağıçobanisa Mah. Kasaba Cad. No:38/C Şehzadeler - Manisa / Türkiye

Tel: +90 236 233 5689 - Fax: +90 236 233 7277

www.sancakliitfaiye.com.tr - info@sancakliitfaiye.com.tr



DUMPER SUPERSTRUCTURE TECHNICAL SPECIFICATIONS

NO.	ITEM	SPECIFICATIONS
1.	CHASSIS	Chassis thickness 8 mm. and will be made of ST52 quality as “U” inflection. Inside Chassis will be reinforced with ST52 quality material in 8 mm. thickness.
2.	SUPERSTRUCTURE	<ul style="list-style-type: none">- Tipper body will be made of ST52 quality steel sheet corrosion and impact resistant (or Hardox 450 optional)- Floor sheet: ST52 sheet in 8 mm thickness (or Hardox 450 optional)- Side covers: ST52 sheet in 6 mm thickness (or Hardox 450 optional)- Front cover: ST52 sheet in 6 mm thickness (or Hardox 450 optional)- Rear cover: ST52 sheet in 6 mm thickness (or Hardox 450 optional)- Rear cover operation system will be manual.- Shelter: ST52 quality of sheet in 6 mm thickness (or Hardox 450 optional).
3.	HYDRAULIC SYSTEM	<ul style="list-style-type: none">- 4 level heavy type cold gravity telescopic cylinder.- 110 L cap. hydraulic oil tank.- Double speed reduction valve, limited control safety valve.- 40*87 DPA gear pump.
4.	PAINT	All steel parts surfaces free of rust and oil residue will be applied with two primers, and one final paint coating in color of demand.

